

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	63	(noise or acoustic) with spectrum and rotor with blade\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:16		
2	BRS	15	(noise\$1 or acoustic) with spectrum and rotor with blade\$1 with operat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:19		
3	BRS	15	(noise\$1 or acoustic) with spectrum and rotor with blade\$1 with operat\$3 and (deviat\$3 or bias or differen\$2 or compar\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:20		
4	BRS	24954	702/31,,32,33,34,35,39,44,48,54,182,183,185,188,191,for.108,for.137,for.155,for.158,for.159,for.166.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:16		
5	BRS	3862	73/116,587,589,593,659,660,801.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:16		
6	BRS	1554	416/31,114,118,228,500.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:16		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
7	BRS	1773	415/17,26,29,47-50.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:19		
8	BRS	90	wind with (power or energ\$3) with installation and rotor\$1 with blade\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:29		
9	BRS	72	rotor\$1 with blade\$1 and compar\$4 with (reference or predetermined or preset\$4 or predefined\$1 or threshold) and (end\$3 or terminat\$3 or shutdown) and aircraft\$1 and (end\$3 or stop\$4 or terminat\$3 or shutdown) with operat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:30		
10	IS&R	4	("4423634").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:40		
11	BRS	27458	702/31,,32,33,34,35,39,44,48,54,182,183,185,188,191,for.108,for.137,for.155,for.158,for.159,for.166.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:16		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
12	BRS	3946	73/116,587,589,593,659,660,801.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:16		
13	BRS	1584	416/31,114,118,228,500.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:16		
14	BRS	2	(noise or acoustic) with spectrum and rotor with blade\$1 and audio with signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:19		
15	BRS	25	compar\$4 with (noise or acoustic) with spectrum with (reference\$1 or predetermin\$2 or predefined\$2 or threshold\$1 or preset\$4) and audio with signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:21		
16	BRS	0	compar\$4 with (noise or acoustic) with spectrum with (reference\$1 or predetermin\$2 or predefined\$2 or threshold\$1 or preset\$4) and audio with signal\$1 and wind with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:22		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
17	BRS	2	compar\$4 with (noise or acoustic) with spectrum with (reference\$1 or predetermin\$2 or predefined\$2 or threshold\$1 or preset\$4) and wind with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:22		
18	IS&R	2	("5845230").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:41		
19	IS&R	2	("5210704").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:54		
20	BRS	2	wo-9936695-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:55		
21	BRS	2	wo-8103702-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:56		
22	BRS	1786	415/17,26,29,47-50.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:19		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
23	BRS	18	(noise\$1 or acoustic) with spectrum and rotor with blade\$1 with operat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:20		
24	BRS	18	(noise\$1 or acoustic) with spectrum and rotor with blade\$1 with operat\$3 and (deviat\$3 or bias or differen\$2 or compar\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:28		
25	BRS	108	wind with (power or energ\$3) with installation and rotor\$1 with blade\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:29		
26	BRS	72	rotor\$1 with blade\$1 and compar\$4 with (reference or predetermined or preset\$4 or predefine\$1 or threshold) and (end\$3 or terminat\$3 or shutdown) and aircraft\$1 and (end\$3 or stop\$4 or terminat\$3 or shutdown) with operat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:37		